

Disease Modifying Therapy Clinical Trials (Multi-site)			
DRUG	DIAGNODE-3 AGES 12-28 WITHIN 6 MONTHS OF DIAGNOSIS LYMPH NODE INJECTION		
DRUG	POLARIS AGES 18-45 WITHIN 120 DAYS OF DIAGNOSIS SINGLE IV INJECTION		
DRUG	FABULINUS AGES 12-35 WITHIN 3 MONTHS OF DIAGNOSIS INFUSION FOLLOWED BY INJECTIONS		
DRUG	TADPOL AGES 4-40 WITHIN 100 DAYS OF DIAGNOSIS ORAL PILL		
DRUG	CNP-103 AGES 12-35 DIAGNOSED FOR LESS THAN 6 MONTHS IV INFUSIONS		



DRUG	Denosumab for Type 1 Diabetes FEMALES AGES 18-50 MALES AGES 21-50 DIAGNOSED FOR LESS THAN 6 YEARS INJECTION	
DRUG	T1D OBTAIN AGES 12-35 WITHIN 90 DAYS OF DIAGNOSIS INJECTION	
DRUG	βETA-PRESERVE AGES 1-25 WITHIN 8 WEEKS OF DIAGNOSIS IV INFUSION	
DRUG	BARICADE-DELAY AGES 1-36 STAGE 2 T1D (AT LEAST 2 AUTOANTIBODIES) ORAL PILL NOT YET RECRUITING	
DRUG	BARICADE-PRESERVE AGES 1-36 WITHIN 8 WEEKS OF DIAGNOSIS IV INFUSION NOT YET RECRUITING	



Disease Modifying Therapy Clinical Trials (Single site)			
DRUG	GLP-1Ra Impact on Metabolic Outcomes in Stage 2 T1DM While Receiving Teplizumab (GLP-TEP) AGES 12-50 STAGE 2 T1DM (2+ autoantibodies) ORAL PILL		
DRUG	PREBIOTICS IN PATIENTS WITH TYPE 1 DIABETES AGES 7+ (Lead Site) AGES 7-17 (Subsites) DIAGNOSED FOR LESS THAN 12 MONTHS ORAL PILL University of Calgary		
DRUG	Cellular Therapy for Type 1 Diabetes Using Mesenchymal Stem Cells AGES 18-40 DIAGNOSED FOR LESS THAN 6 MONTHS INFUSION MEDICAL UNIVERSITY OF SOUTH CAROLINA		
DRUG	An Adaptive Design of MTX228 AGES 18-65 DIAGNOSED FOR AT LEAST 1 YEAR ORAL PILL UNIVERSITY OF ALBERTA	回流 漢回 (本) (本) (本)	
DRUG	MAS-1 Adjuvanted Antigen-specific Immunotherapeutic for Prevention and Treatment of Type 1 Diabetes AGES 18-45 DIAGNOSED FOR LESS THAN 2 YEARS INJECTION UNIVERSITY OF COLORADO, DENVER		



Trial Tools & Contact Information Clinical Trials Connection Tool Match to a clinical trial in 60 seconds Clinical Trial Education Volunteers Your key to participation! Connect with a local volunteer trained to answer any questions you may have.