







Clinical Trials for Adults


In Person Clinical Trials

 CELL THERAPY	<u>FORWARD STUDY</u> AGES 18-65 2 EPISODES OF SEVERE HYPOGLYCEMIA T1D AT LEAST 5 YEARS LOCATION: MA	
 OBSERVATIONAL	<u>IMMUNE FUNCTION</u> ALL AGES T1DS AND/OR FAMILY MEMBERS OF T1DS EARN \$20 LOCAL LAB	
 BEHAVIORAL	<u>iACT FOR EATING DISORDERS</u> AGES 16-45 LIVING W/ EATING DISORDER LOCATION: RI	
 DEVICE	<u>PRECISION II STUDY</u> AGES 18-75 T1D AT LEAST 3 MONTHS LOCATION: MA	
 OBSERVATIONAL	<u>GLUCOSYNC STUDY</u> AGES 14-25 T1D AT LEAST 1 YEAR A1C BETWEEN 6.5-10% LOCATION: MA	

 OBSERVATIONAL	<u>PROMISE</u> PREGNANT WOMEN/BIOLOGICAL FATHERS OF OFFSPRING W/ 1ST DEGREE T1D RELATIVE LOCATION: MA	
 DRUG	<u>EFFECTS OF KETOSIS ON BRAIN FUNCTION</u> AGES 18-40 T1D AT LEAST 1 YEAR WITH A1C 6.5-9% USE OF CGM AND INSULIN PUMP LOCATION: MA	
 OBSERVATIONAL	<u>BONE HEALTH IN T1D YOUTH</u> AGES 6-20 WITH T1D AND WITHOUT T1D EARN UP TO \$300 LOCATION: MA	
 DEVICE	<u>TANGO</u> PARTICIPANTS OVER 65 MDI OR PUMP LOCATION: MA	
 SURVEY	<u>SPOTLIGHT AQ</u> AGES 16 - 25 BOSTON CHILDREN'S PATIENTS LOCATION: MA	
 BEHAVIORAL	<u>VERY LOW CARB DIET STUDY</u> AGES 18-40 T1D AT LEAST 1 YEAR WITH A1C 6.5-9% LOCATION: MA	
 DEVICE	<u>CIAO</u> AGES 18-35 or 65+ MULTIPLE DAILY INJECTIONS LOCATION: MA	

 DRUG	<u>SUGARNSALT</u> AGES 18-75 T1D AT LEAST 8 YEARS eGFR between 20-60 and urine ACR of 200+. LOCATION: MA	
 DEVICE	<u>DIABETES STUDY IN PREGNANCY</u> PREGNANT WITH T1D LOCATION: MA	

Virtual Clinical Trials		
 PREVENTION	<u>TRIALNET</u> DIRECT RELATIVES OF T1DS AGES 2-45 UNDER 18 CAN RESCREEN EVERY 2 YEARS VIRTUAL OR TRIALNET CENTER	
 OBSERVATIONAL	<u>T1D PREGNANCY & ME</u> AGES 18+ T1D AT LEAST 6 MONTHS LESS THAN 15 WEEKS PREGNANT VIRTUAL	
 SURVEY	<u>CHRONIC ILLNESS TRAMUA STUDIES</u> MOTHERS OF T1DS UNDER 18 VIRTUAL	
 SURVEY	<u>SKIN REACTIONS TO DIABETES DEVICES</u> AGES 18+ CGM OR PUMP FOR AT LEAST 6 MONTHS VIRTUAL	
 BEHAVIORAL	<u>DIGITAL STORYTELLING FOR TEENS</u> AGES 13-21 T1D FOR AT LEAST 1 YEAR VIRTUAL	

 SURVEY	<u>UCSF PRIOR AUTHORIZATIONS</u> ADULTS WITH T1D AND CAREGIVERS OF T1DS VIRTUAL	
 BEHAVIORAL	<u>T1D BODY ACCEPTANCE PROJECT</u> FEMALES AGES 15-30 W/ BODY IMAGE CONCERNS AND/OR DISORGANIZED EATING EARN \$110 VIRTUAL/MA	
 DEVICE	<u>EXTENDED BOLUS CLOSED LOOP</u> AGES 13-18 T1D AT LEAST 1 YEAR USING CONTROL IQ VIRTUAL	
 BEHAVIORAL	<u>TRANSDISCIPLINARY CARE FOR TRANSITION</u> AGES 17-25 APPROACHING PEDIATRIC DISCHARGE - EARN \$180 VIRTUAL	
 BEHAVIORAL	<u>ReDUCE</u> AGES 18-64 T1D AT LEAST 6 MONTHS A1C>7.5% VIRTUAL	
 SURVEY	<u>BC CONNELL SCHOOL OF NURSING</u> <u>COST OF T1D</u> AGES 18-30 ENGLISH SPEAKING EARN \$50 VIRTUAL	
 SURVEY	<u>TIME IN TIGHT RANGE</u> AGES 18+ VIRTUAL	

 BEHAVIORAL	<u>CGM SHARING IN OLDER ADULTS</u> AGES 60+ A1C 7.5-11% VIRTUAL	
 SURVEY	<u>DIABETES STIGMA</u> AGES 18+ T1D FOR AT LEAST 1 YEAR VIRTUAL	
 BEHAVIORAL	<u>FAM STUDY</u> AGES 18-65 T1D FOR AT LEAST 1 YEAR A1C 7.5% - 14% VIRTUAL	
 BEHAVIORAL	<u>T1DAL</u> AGES 13-18 T1D AT LEAST 6 MONTHS EARN UP TO \$125 VIRTUAL	
 SURVEY	<u>T1D EXCHANGE REGISTRY</u> INDIVIDUALS WITH T1D AND/OR THEIR CAREGIVERS VIRTUAL	
 BEHAVIORAL	<u>TELE-MED COGNATIVE BEHAVIOR THERAPY</u> AGES 18-35 T1D AT LEAST 6 MONTHS WITH ANXIETY OR DEPRESSION VIRTUAL	

Newly Diagnosed Clinical Trials



DRUG

COUR CNP-103
AGES 12-35
WITHIN 180 DAYS OF DIAGNOSIS
LOCATION: MA




DRUG

POLARIS STUDY
AGES 18-45
WITHIN 120 DAYS OF DIAGNOSIS
LOCATION: MA



DRUG

DIAGNODE-3
AGES 12-28
WITHIN 6 MONTHS OF DIAGNOSIS
LOCATION: MA



DRUG

FABULINUS
AGES 12-35
T1D LESS THAN 90 DAYS W/ 1 ANTIBODY
LOCATION: MA



OBSERVATIONAL

GENTIBIO HLA STUDY
AGES 18-45
A1C $\geq$ 6.5%
WITHIN 2 MONTH OF DIAGNOSIS
LOCATION: MA



Clinical Trials Connection Tool
Match to a Clinical Trial in 60 Seconds



Breakthrough T1D Greater New England
Clinical Trial Education Volunteers
AmandaJGilchrist@gmail.com and Kristin.Neff@gmail.com